



Docket No.: PF-0576-1 DIV

Response Under 37 C.F.R. 1.116 - Expedited Procedure
Examining Group 1652

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: BOX AF, Commissioner for Patents, Washington, D.C. 20231 on March 27, 2003.
By: [Signature] Printed: Katherine Stofer

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Hillman et al.

Title: EXTRA-CELLULAR ADHESIVE PROTEINS

Serial No.: 09/747,804

Filing Date: December 22, 2000

Examiner: Hutson, R.

Group Art Unit: 1652

Box AF
Commissioner for Patents
Washington, D.C. 20231

RESPONSE TO FINAL OFFICE ACTION

Sir:

This paper is responsive to the Final Office Action, dated January 27, 2003, setting a three-month term for response. Applicants request reconsideration of the above-referenced patent application in view of the following remarks.

RECEIVED
APR 04 2003
TECH CENTER 1600/2900
12/C
A.G.J
4/7/03
(NE)

For the Examiner's convenience, all pending claims are listed below.

1. **(As once amended.)** An isolated polypeptide selected from the group consisting of:
 - a) a polypeptide comprising the amino acid sequence of SEQ ID NO:1, and
 - b) a polypeptide comprising a naturally occurring amino acid sequence at least 90% identical to the amino acid sequence of SEQ ID NO:1, said naturally occurring amino acid sequence having extracellular adhesion activity.

2. **(As once amended.)** An isolated polypeptide of claim 1, comprising the sequence of SEQ ID NO:1.

6. A method for producing a polypeptide of claim 1, the method comprising:
 - a) culturing a cell under conditions suitable for expression of the polypeptide, wherein said cell is transformed with a recombinant polynucleotide, and said recombinant polynucleotide comprises a promoter sequence operably linked to a polynucleotide encoding the polypeptide of claim 1, and
 - b) recovering the polypeptide so expressed.

13. **(As once amended.)** A composition comprising a polypeptide of claim 1 and an excipient.

14. **(As once amended.)** A composition of claim 13, wherein the polypeptide comprises the sequence of SEQ ID NO:1.

15. A method for screening a compound for effectiveness as an agonist of a polypeptide of claim 1, the method comprising:
 - a) exposing a sample comprising a polypeptide of claim 1 to a compound, and
 - b) detecting agonist activity in the sample.

16. A method for screening a compound for effectiveness as an antagonist of a polypeptide of claim 1, the method comprising:

- a) exposing a sample comprising a polypeptide of claim 1 to a compound, and
- b) detecting antagonist activity in the sample.